Vol. 194 CARBOHYDRATE RESEARCH DECEMBER 1st, 1989

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents, Phys. Chem. Earth Sci., Life Sci.)

Capillary gas-chromatographic analysis of monosaccharides: improvements and comparisons using trifluoroacetylation and trimethylsilylation of sugar *O*-benzyl- and *O*-methyl-oximes
M. A. ANDREWS (Upton, NY, U.S.A.) 1

The composition and conformation of D-*threo*-3,4-hexodiulose in solution, and the X-ray crystal structure of its $\beta\beta$ anomer
S. J. ANGYAL, D. C. CRAIG (Kensington, N.S.W., Australia), AND J. KUSZMANN (Budapest, Hungary) 21

X-ray and conformational investigations of methyl 2,3-anhydro-2,3,4-trideoxy-β-D-*lyxo*-hexopyranoside
J. W. KRAJEWSKI, Z. URBAŃCZYK-LIPKOWSKA, P. GLUZIŃSKI, AND A. BANASZEK (Warsaw, Poland) 31

Identification of *O*-α-D-galactopyranosylsaccharinic acids as their trimethylsilyl derivatives by mass spectrometry
K. NIEMELÄ (Espoo, Finland) 37

The side-chain conformation of *N*-acetyl-7-, 8-, 9-deoxy-, and -4,7-dideoxy-neuraminic acid and their effect on the activation of CTP:*N*-acylneuraminic acid cytidylyl-transferase
R. CHRISTIAN, E. SCHREINER, E. ZBIRAL, AND G. SCHULZ (Vienna, Austria) 49

The crystal and molecular structure of phosphoenolpyruvic acid
A. WEICHSEL, T. LIS, AND M. KUCZEK (Wrocław, Poland) 63

Synthesis and liquid crystalline proporties of the *n*-alkyl 1-thio-α-D-glucopyranosides, a new homologous series of carbohydrate mesogens
H. A. VAN DOREN, R. VAN DER GEEST, R. M. KELLOG, AND H. WYNBERG (Groningen, The Netherlands) 71

The crystal structure of heptyl 1-thio-α-D-glucopyranoside, a member of a new homologous series of mesogenic carbohydrate derivatives
H. A. VAN DOREN, R. VAN DER GEEST, F. VAN BOLHUIS, R. M. KELLOG, AND H. WYNBERG (Groningen, The Netherlands) 79

Syntheses of higher sugars by a new chain-elongation reaction
K. PESEKE, H.-D. AMBROSI, AND M. MICHALIK (Rostock, G.D.R.) 87

A highly stereocontrolled synthesis of the propyl glycoside of a decagalacturonic acid, a model compound for the endogenous phytoalexin elicitor-active oligogalacturonic acids
Y. NAKAHARA AND T. OGAWA (Saitama, Japan) 95

Synthesis of (±)-3-amino-2,4-dihydroxy-6-hydroxymethyl-8-oxabicyclo[3.2.1]octane derivatives, and their anhydro-ring-migration with hydrogen bromide–acetic acid
S. OGAWA AND M. ORIHARA (Yokohama, Japan) 115

An efficient, stereoselective synthesis of 4-*E*- and 4-*Z*-D-*erythro*-sphingenine and related compounds from 2-amino-2-deoxy-D-glucose
T. SUGAWARA AND M. NARISADA (Osaka, Japan) 125

(Continued overleaf)

(contents continued)

Steric course of the hydrolysis of α,α-trehalose and α-D-glucosyl fluoride catalyzed by pig kidney trehalase
M. NAKANO, C. F. BREWER, T. KASUMI, AND E. J. HEHRE (Bronx, NY, U.S.A.) . . 139

Synthesis of poly(acrylamide) copolymers containing 3,5-dideoxy-D-*arabino*-2-octulopyranosylonic acid (5-deoxy-Kdo) residues
P. KOSMA, P. WALDSTÄTTEN, L. DAOUD, G. SCHULZ, AND F. M. UNGER (Vienna, Austria) 145

Stereoselective synthesis of 1,1-dialkyl-1-methoxymethyl glucosides (acetal-glucosides)
L. F. TIETZE, R. FISCHER, M. LÖGERS, AND M. BELLER (Göttingen, F.R.G.) . . . 155

Different reactivities of acetylated *exo*- andf *endo*-cyanoethylidene derivatives in glycosylation reactions
C. VICENT, J.-M. COTERON, J. JIMENEZ-BARBERO, M. MARTIN-LOMAS, AND S. PENADES (Madrid, Spain) 163

Synthesis of some 3-alkoxycarbonyl-3-*C*-cyano-3-deoxyglycosides by the reaction of 1,5-dialdehydes with cyanoesters
F. SANTOYO GONZALEZ, F. HERNANDEZ MATEO, AND F. J. LOPEZ APARICIO (Granada, Spain) 171

Selective bromoacetylation of alkyl hexopyranosides: a facile preparation of intermediates for the synthesis of (1→6)-linked oligosaccharides
T. ZIEGLER, P. KOVÁČ, AND C. P. J. GLAUDEMANS (Bethesda, MD, U.S.A.) . . . 185

Chemical combination of 6-deoxy-6-mycoloylamino-α,α-trehalose and *N*-acetyl-6-*O*-(aminoacyl)-muramoyl dipeptide
H. ISHIDA, Y. OGAWA, Y. IMAI, M. KISO, A. HASEGAWA (Gifu, Japan), T. SAKURAI, AND I. AZUMA (Sapporo, Japan) 199

Studies of the synthesis of sugar phosphonates related to 3-deoxy-D-*manno*-2-octulosonic acid (Kdo)
H. MOLIN, J.-O. NORÈN, AND A. CLAESSON (Södertälje, Sweden) 209

Peracetylated chitobiose: preparation by specific degradations of chitin, and chemical manipulations
S.-I. NISHIMURA, H. KUZUHARA (Wako, Japan), Y. TAKIGUCHI, AND K. SHIMAHARA (Tokyo, Japan) 223

Synthesis of "dihydroacarbose", an α-D-glucosidase inhibitor having a pseudo-tetrasaccharide structure
M. HAYASHIDA, N. SAKAIRI, H. KUZUHARA (Wako, Japan), AND M. YAJIMA (Kyoto, Japan) 233

Production and partial characterization of the extracellular polysaccharides from oral *Streptococcus salivarius*
H. EIFUKU, A. YOSHIMITSU-NARITA, S. SATO, T. YAKUSHIJI, AND M. INOUE (Kagoshima, Japan) 247

Enzymic and physicochemical properties of an exo-(1→3)-β-D-glucanase from *Rhizoctonia solani*
N. OHNO, I. NONO, AND T. YADOMAE (Tokyo, Japan) 261

Notes

Separation of malto-oligosaccharide derivatives by capillary supercritical fluid chromatography and supercritical fluid chromatography–mass spectrometry
T. L. CHESTER, J. D. PINKSTON, AND G. D. OWENS (Cincinnati, OH, U.S.A.) . . . 273

(Continued on facing page)

(contents continued)

Structure determination of three neutral oligosaccharides obtained from horse colostrum
T. URASHIMA, T. SAKAMOTO, H. ARIGA (Hokkaido, Japan), AND T. SAITO (Sendai, Japan) 280

A ^{13}C spin–lattice relaxation study of solvent effects on the rotational dynamics of methyl glucosides
P. DAIS (Crete, Greece) AND A. S. PERLIN (Montreal, Que., Canada) 288

MM2 calculation of the chair–boat equilibrium of 1,6-anhydro-β-D-glucopyranose
A. J. J. STRAATHOF, A. VAN ESTRIK, A. P. G. KIEBOOM, J. M. A. BAAS, AND B. VAN DE GRAAF (Delft, The Netherlands) 296

A mild and rapid conversion of sugar dithioacetals into the corresponding dimethyl acetals by *N*-bromosuccinimide–methanol
D. MILJKOVIĆ, M. POPSAVIN, V. POPSAVIN, N. VUKOJEVIĆ (Novi Sad, Yugoslavia), J. HARANGI (Debrecen, Hungary), AND M. MÀK (Budapest, Hungary) 300

A kinetic study of the solvolysis of 1,6-dibromo-1,6-dideoxygalactitol (Mitolactol)
K. HORVÁTH, L. INSTITÓRIS, AND E. GÁCS-BAITZ (Budapest, Hungary) 305

The regioselectivity of the dibutylstannylene-mediated alkylation of α,α-trehalose derivatives
C. VICENT, M. MARTIN-LOMAS, AND S. PENADES (Madrid, Spain) 308

Isolation and preliminary characterization of fucose-containing sulfated polysaccharides with blood-anticoagulant activity from the brown seaweed *Hizikia fusiforme*
K. DOBASHI, T. NISHINO, M. FUJIHARA, AND T. NAGUMO (Kanagawa, Japan) . . . 315

Substrate specificity of naringinase, an α-L-rhamnosidase from *Penicillium decumbens*
F. MICHON, V. POZSGAY, J.-R. BRISSON, AND H. J. JENNINGS (Ottawa, Ont., Canada) . 321

Preliminary communications

Synthesis of C-4 branched-chain furanoses by free radical-mediated cyclization
K. S. KIM, J. H. KIM, Y. K. KIM, Y. S. PARK, AND C. S. HAHN (Seoul, Korea) . . . C1

Double asymmetric induction in the catalytic osmylation of some α,β-unsaturated octuronic acid derivatives
J. S. BRIMACOMBE AND G. MCDONALD (Dundee, Gt. Britain) C4

Elucidation of the host–guest geometrical relationship in a branched cyclomaltohexaose inclusion complex by measurement of the intermolecular nuclear Overhauser effects in the rotating frame
Y. INOUE, Y. KANDA, Y. YAMAMOTO, R. CHÛJÔ (Tokyo, Japan), AND S. KOBAYASHI (Ibaraki, Japan) C8

Synthesis of the 4-acetamido-4-deoxy analogue of *N*-acetylneuraminic acid and its behaviour towards CMP-sialate synthase
E. ZBIRAL, E. SCHREINER, AND R. CHRISTIAN C15

Book review C19

Author index C23

Subject index C25